

Gehäuse - Reparaturhülsen GH

Artikel	für Lager	Länge (mm)	Außen-D (mm)	Innen-D (mm)	PREIS / Stk.
3020	6200	20	33	29	20,00
3220	6002 / 6201		35	31	20,50
3520	6003 / 6202 / 6300		38	34	21,60
3720	6301		40	36	22,00
4020	6203		43	39	22,30
4220	6004 / 6302		45	41	22,60
4720	6005 / 6204 / 6303		50	46	22,80
5222	6205 / 6304		22	55	51
6230	6007 / 6206 / 6305	30	65	61	23,00
6240		40			30,70
6250		50			38,70
7230	6007 / 6207 / 6306	30	76	71	24,70
7240		40			34,30
7250		50			42,80
8030	6010 / 6208 / 6307	30	84	79	26,70
8040		40			36,10
8050		50			45,80
8530	6209	30	89	84	22,62
8540		40			38,60
8550		50			47,10
9030	6011 / 6210 / 6308	30	94	89	28,30
9040		40			38,00
9050		50			48,20
10030	6013 / 6211 / 6309	30	105	99	30,00
10040		40			40,00
10050		50			49,80
11030	6014 / 6212 / 6310	30	115	109	30,40
11040		40			40,90
11050		50			51,00
11060		60			61,20
12040	6213 / 6311	40	125	119	42,70
12050		50			53,60
12060		60			64,30
12070		70			74,80

freibleibend, gültig bis Ende 2023

Erwin REUMÜLLER TEWA GmbH

1230 Wien, Johann Josef Krätzergergasse 6

Tel: +43/1/865 92 60 - 0 Fax: +43/1/869 83 18 mail: reuli@reumueller-tewa.at

www.reumueller-tewa.at

12540	6016 / 6214	40	130	124	44,00
12550		50			54,70
12560		60			65,80
12570		70			76,60
13040	6017 / 6215 / 6312	40	136	129	45,00
13050		50			56,00
13060		60			67,20
13070		70			78,60
14040	6018 / 6216 / 6313	40	146	139	46,00
14050		50			57,50
14060		60			68,40
14070		70			80,20

15040	6020 / 6217 / 6314	40	156	149	47,00
15050		50			58,40
15060		60			70,40
15070		70			82,20
16040	6021 / 6218 / 6315	40	166	159	53,80
16050		50			67,80
16060		60			81,00
16070		70			94,80
17050	6022 / 6219 / 6316	50	176	169	71,40
17060		60			85,80
17070		70			99,70
17080		80			114,10
18050	6024 / 6220 / 6317	50	186	179	73,80
18060		60			88,60
18070		70			103,80
18080		80			118,50
19050	6221 / 6318	50	196	189	a.A.
19060		60			a.A.
19070		70			114,00
19080		80			a.A.
20050	6026 / 6222 / 6319	50	207	199	a.A.
20060		60			a.A.
20070		70			121,20
20080		80			a.A.
20090		90			a.A.

freibleibend, gültig bis Ende 2023

Erwin REUMÜLLER TEWA GmbH

1230 Wien, Johann Josef Krätzergergasse 6

Tel: +43/1/865 92 60 - 0 Fax: +43/1/869 83 18 mail: reuli@reumueller-tewa.at

www.reumueller-tewa.at

21560	6224 / 6320	60	222	214	a.A.
21570		70			135,60
21580		80			a.A.
21590		90			a.A.
215100		100			a.A.
22560	6030 / 6321	60	232	224	a.A.
22570		70			a.A.
22580		80			a.A.
22590		90			a.A.
225100		100			a.A.
23060	6226	60	237	229	a.A.
23070		70			a.A.
23080		80			a.A.
23090		90			a.A.
230100		100			a.A.
24070	6032 / 6322	70	248	239	a.A.
24080		80			179,40
24090		90			a.A.
240100		100			a.A.
25070	6228 / 6323	70	258	249	171,00
25080		80			a.A.
25090		90			a.A.
250100		100			a.A.
26070	6034 / 6324	70	268	259	188,80
26080		80			216,00
26090		90			242,60
260100		100			269,60
27070	6230	70	278	269	
27080		80			
27090		90			
270100		100			
270110		110			
28080	6036 / 6326	80	288	279	
28090		90			
280100		100			
280110		110			


freibleibend, gültig bis Ende 2023

29080	6038 / 6232	80	298	289
29090		90		
290100		100		
290110		110		
290120		120		
30080	6328	80	308	299
30090		90		
300100		100		
300110		110		
300120		120		
310120	6040 / 6234 / 6424	120	320	309
320120	6236 / 6330		330	319
340120	6044 / 6238 / 6332		350	339
360120	6048 / 6240 / 6334		370	359
380120	6336		390	379
400120	6052 / 6244 / 6338		410	399
420120	6056 / 6340		430	419
440120	6342		450	439

a.A.

Vorteile:

- ◆ Einfache Handhabung
- ◆ Schneller Einbau
- ◆ Wenig Zerspanungsarbeit
- ◆ Material Grauguss (GG 25)



So wird die Reparaturhülse eingesetzt:

- ◆ Gehäuse einspannen und ausrichten
- ◆ Auf Maß drehen
- ◆ Hülse einsetzen (kleben bzw. pressen)
- ◆ Hülse auf Lagermaß ausdrehen
- ◆ Hervorstehendes Hülsenende abdrehen

